

INDEX MAPS.

T.11N, R.5E. 2nd Mer.

	82	82	82	81	81	81						
85	6	109	5	103	4	98	3	94	2	89	1	80
	109	108	102	98	93	89						
84	7	108	8	102	9	97	10	93	11	89	12	80
	108	107	101	97	92	88						
84	18	107	17	101	16	96	15	92	14	88	13	80
	106	106	100	96	92	87						
83	19	106	20	100	21	96	22	91	23	87	24	79
	105	105	100	95	91	87						
83	30	104	29	99	28	95	27	90	26	86	25	79
	104	103	99	94	90	86						
83	31	103	32	98	33	94	34	90	35	85	36	79
	78	78	78	77	77	77						

T.12N, R.5E. 2nd Mer.

	119		118		118		118		117		117	
121	6	145	5	138	4	134	3	129	2	125	1	116
	144		144		138		133		129		124	
120	7	143	8	137	9	133	10	128	11	124	12	116
	143		143		137		133		128		124	
120	18	142	17	137	16	132	15	128	14	123	13	116
	141		142		136		132		127		123	
120	19	141	20	136	21	131	22	127	23	123	24	115
	140		141		135		131		126		122	
119	30	140	29	135	28	131	27	126	26	122	25	115
	139		139		135		130		125		121	
119	31	139	32	134	33	130	34	125	35	121	36	115
	114		114		114		113		113		113	

The figures on the lines refer to the page.

Township N. 12 North, Range N. 5 East 2. Mer. Ind.

Township Lines.

South Boundary. Var. 7° 15' E.

West on the S. Boundary of Sec. 36

40.00 set g. sec. pt. from which

a R. Oak 24 in. dia. bears N 40° W 27 lbs. dist. 8

a Hickory 10 " " " S 44° E 12 " "

80.00 set pt. cn. of sec. 35 & 36 from which

a W. Oak 21 in. dia. bears N 42° W 20 lbs. dist. 8

a Beech 8 " " " S 54° E 18 " "

Level land, timbered Beech, Oak, Elm &c.

Upr. Spice, Green Briers &c.

West on the S. Boundary of Sec. 35

25.15 a W. Oak 30 in. dia.

40.00 set g. sec. pt. from which

a Hickory 7 in. dia. bears S 65° W 8 lbs. dist. 8

a Dogwood 6 " " " N 40° E 14 " "

65.75 a Hickory 18 " "

80.00 set pt. cn. of sec. 34 & 35 from which

a Hickory 20 in. dia. bears S 73° W 13 lbs. dist. 8

a Dogwood 6 " " " N 58° E 28 " "

Land &c. the same as on the last mile

West on the S. Boundary of Sec. 34

40.00 set g. sec. pt. from which

a Hickory 15 in. dia. bears N 45° W 6 lbs. dist. 8

an Elm 9 " " " S 49° E 11 " "

76.02 a B. Oak 27 " "

80.00 set pt. cn. of sec. 33 & 34 from which

a W. Oak 9 in. dia. bears S 83° E 19 lbs. dist. 8

a Sap. Ash 15 " " " N 20° E 4 " "

Level wet land, timbered Oak, Ash, Gum &c.

Upr. Spice &c.

T. 12 N., R. 5 E. 2^d Mer. Ind. a

West on the S. Boundary of Sec. 33

40.00 set g. sec. post from which

a Blue Ash 10 in. dia. bears N 5 E 13 lbs. dist. 8

a Hickory 12 " " " S 25 W 13 " "

51.50 a Creek 150 lbs. wide course S W

77.20 a Beech 9 in. dia.

80.00 set post cor. of sec. 32 & 33 from which

an Ash 6 in. dia. bears S 60 E 7 lbs. dist. 8

a Beech 21 " " " N 35 W 11 " "

Level land, timber Oak, Hackberry & Upr.

Spice, soil good

West on the S. Boundary of Sec. 32

39.60 a Creek 40 lbs. wide course S E

40.00 set g. sec. post from which

a Sugar 21 in. dia. bears S 10 E 27 lbs. dist. 8

an Ironw. 6 " " " N 12 E 19 " "

65.45 a Sugar 12 " "

80.00 set post cor. of sec. 31 & 32 from which

a Beech 20 in. dia. bears N 50 W 13 lbs. dist. 8

a Do 7 " " " S 43 E 74 " "

Rolling land, timber Beech, Sugar &

Upr. Spice

West on the S. Boundary of Sec. 31

22.46 a Creek 100 lbs. wide course S E

40.00 set g. sec. post from which

an Ash 4 in. dia. bears N 49 E 10 lbs. dist. 8

a Sycamore 10 " " " S 29 W 61 " "

57.30 a Creek 150 lbs. wide course N E

76.00 set post cor. of T. 11 & 12 N., R. 4 & 5 E. from which

a Spanish Oak 40 in. dia. bears N 48 W 6 lbs. dist. 8

a Buckeye 9 " " " S 67 E 29 " "

T. 12 N., R. 5 E. 2^d. Mer. Ind^a.

(Description of land &c. omitted.)

East Boundary. Var. 6th 10' E.
 North on the E. Boundary of Sec. 36
 27.40 an Ash 14 in. dia.
 40.00 set of sec. post from which
 an Ash 12 in. dia. bears S 43° W 26 lbs. dist. 8
 a Do 7 " " " N 47° W 16 " "
 65.25 a Beech 12 " "
 80.00 set post cor. of sec. 25 & 36 from which
 an Ash 7 in. dia. bears N 74° W 8 lbs. dist. 8
 a Do 9 " " " S 19° E 14 " "
 Level land, timber Sugar, Beech, Ash & Upr.
 Spice, Green Beans &c. soil good

North on the E. Boundary of Sec. 25
 32.40 an Ash 15 in. dia.
 40.00 set of sec. post from which
 a Beech 15 in. dia. bears S 65° W 22 lbs. dist. 8
 an Elm 6 " " " N 82° E 11 " "
 54.92 a Beech 15 " "
 80.00 set post cor. of sec. 24 & 25 from which
 a Beech 13 in. dia. bears N 54° W 4 lbs. dist. 8
 a Do 18 " " " S 62° E 16 " "
 Level land, timber Beech, Ash, Elm &c.
 Upr. Spice, soil good

North on the E. Boundary of Sec. 24
 22.50 an Ash 18 in. dia.
 40.00 set of sec. post from which
 a Beech 12 in. dia. bears N 35° W 6 lbs. dist. 8
 a Do 10 " " " S 75° E 16 " "
 72.75 a Poplar 36 " "

T. 12 N., R. 5 E. 2. Mer. Ind.^a

80.00 set part cor. of sec. 13 & 24 from which
 a R. Oak 40 in. dia bears S 28 E 11 lbs. dist. 8
 a W. Oak 12 " " " N 40 E 11 " "
 Level land, timber Oak, Elm, Hickory &
 Upr. Oak, Spice &

North on the E. Boundary of Sec. 13

13.00 a Beech 10 in. dia.

40.00 set of sec. part from which
 a Beech 30 in. dia bears S 89 E 20 lbs. dist. 18
 an Ash 18 " " " S 62 W 17 " "

59.50 a Do 12 " "

80.00 set part cor. of sec. 12 & 13 from which
 a Beech 9 in. dia bears S 52 E 11 lbs. dist. 18
 a Do 15 " " " S 57 W 19 " "
 Level land, timber Beech, Oak, Elm, Hickory
 & Upr. Spice, soil good

North on the E. Boundary of Sec. 12

24.05 an Ash 10 in. dia.

40.00 set of sec. part from which
 an Ash 15 in. dia bears N 89 E 10 lbs. dist. 18
 a Hickory 12 " " " S 31 W 20 " "

54.15 a Swamp Ash 15 in. dia.

80.00 set part cor. of sec. 1 & 12 from which
 a Beech 10 in. dia bears S 35 E 16 lbs. dist. 8
 a Hickory 9 " " " S 67 W 10 " "
 Level land, timber Oak, Ash, Beech &
 Upr. Spice, Oak &

North on the E. Boundary of Sec. 1

9.10 a Beech 10 in. dia.

40.00 set of sec. part from which

T. 12 N., R. 5 E. 2^d Mer. Ind^a

a Beech 10 in. diameter N 23 W 11 lbs. dit^r v^d
 a Dr 12 " " " S 29 W 20 " "
 58.70 an Ash 12 " "
 74.35 set post cor. of T. 12 & 13 N., R. 5 & 6 E. from which
 all Henry Riv. dis. bears S 29 W 32 lbs. dit^r v^d
 a Beech 10 " " " N 30 E 31 " "
 Level land, timber Beech, Oak, Ash, Sugar v.
 Wyr. Spice & Oak. Soil good

North Boundary.

West on the S. Boundary of Sec. 36, T 13 N., R 5 E
 11.50 a Beech 9 in. dia.
 40.00 set of sec. post from which
 a Beech 27 in. diameter S 43 W 5 lbs. dit^r v^d
 a Dr 9 " " " N 79 E 13 " "
 61.35 a Dr 12 " "
 80.00 set post cor. of sec. 35 & 36 from which
 a Water Beech 6 in. diameter S E 4 lbs. dit^r v^d
 a Swamp Ash 24 " " " N 17 W 12 " "
 Level land, timber Beech, Sop. Ash, Elm v.
 Wyr. Spice, rather wet

West on the S. Boundary of Sec. 35, T 13 N., R 5 E
 25.54 a Gum 15 in. dia.
 40.00 set of sec. post from which
 a Beech 24 in. diameter N 67 E 21 lbs. dit^r v^d
 a Dr 21 " " " S 21 E 16 " "
 64.94 a Dr 14 " "
 80.00 set post cor. of sec. 34 & 35 from which
 a Beech 24 in. diameter N 61 W 19 lbs. dit^r v^d
 a Dr 10 " " " S 83 E 27 " "
 Level wet land, timber as last noted

T. 12 N., R. 5 E. 2^d. Mer. Ind.^a

West on the S. Boundary of Sec. 34, T13N, R5E

24.60 a Beech 15 in. dia

28.76 a Creek 15 lbs. wide course SW

40.00 set of sec. post from which

a Buckeye 12 in. dia bears S 81 E 10 lbs. dist. 18

a W. Oak 8 " " " N 61 W 20 " "

62.20 a Branch 4 lbs. wide course SE

80.00 set post cor. of sec. 33 & 34 from which

an Elm 6 in. dia bears S 74 E 11 lbs. dist. 18

a Beech 12 " " " N 29 W 22 " "

Level brushy wet land, timber Beech, Elm &c
Upr. Spice, Dogwood &c.

West on the S. Boundary of Sec. 33, T13N, R5E

29.50 a Creek 50 lbs. wide course S.

31.54 a Swamp Ash 10 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia bears N 44 E 33 lbs. dist. 18

a Dr 14 " " " S 73 W 10 " "

63.30 a Dr 12 " "

80.00 set post cor. of sec. 32 & 33 from which

a Beech 10 in. dia bears S 12 E 10 lbs. dist. 18

an Elm 27 " " " N 20 E 5 " "

Level land, timber Beech, Ash, Elm &c.
Upr. Spice, Plum &c.

West on the S. Boundary of Sec. 32, T13N, R5E

40.00 set of sec. post from which

an Elm 24 in. dia bears S 74 E 5 lbs. dist. 18

a Beech 10 " " " N 13 W 18 " "

67.60 a Dr 14 " "

80.00 set post cor. of sec. 31 & 32 from which

an Ash 15 in. dia bears S 8 E 10 lbs. dist. 18

T. 12 N., R. 5 E. 2^d. Mer. Ind^a.

a Beech 15 in. diameter N 54 E 29 lbs. dist.
Land & timber the same as last noted

West on the S. Boundary of Sec. 31, T. 13 N., R. 5 E
40.00 set of sec. post from which

a Beech 9 in. diameter N 5 E 11 lbs. dist. &

a Poplar 6 " " " S 55 W 15 " "

72.80 to Township corner. July 30. 1819

(Description of land &c. omitted)

West Boundary, Var. 6th 00' E.

Post cor. of T. 11 & 12 N., R. 4 & 5 E. from which

a Span. Oak 40 in. diameter N 48 W 6 lbs. dist. &

a Buckeye 9 " " " S 67 E 29 " "

North on the E. Boundary of Sec. 36, T. 12 N., R. 4 E

40.00 set of sec. post from which

a Beech 8 in. diameter N 53 E 3 lbs. dist. &

a Do 20 " " " N 89 W 19 " "

49.88 a Do 22 " "

80.00 set post cor. of sec. 25 & 36 from which

a Beech 20 in. diameter S 6 E 26 lbs. dist. &

a Do 20 " " " N 14 E 29 " "

Over good farming land, timber Beech, Sugar
Ash; Upr. Spice

North on the E. Boundary of Sec. 25, T. 12 N., R. 4 E

13.15 an Ash 18 in. dia.

40.00 set of sec. post from which

an Ash 7 in. diameter S 26 W 6 lbs. dist. &

an Elm 6 " " " N 69 W 4 " "

63.65 a Maple 12 " "

80.00 set post cor. of sec. 24 & 25 from which

an Ash 12 in. diameter N 74 W 7 lbs. dist. &

T. 12 N., R. 5 E., T. 1 Mer. Ind.^a

an Oak 16 in. dia. bears S 75 E 22 lbs. dist.
Over wet land, timber Elm, Beech, Ash &c.

North on the E. Boundary of Sec. 24, T. 12 N., R. 4 E

17.36 a W. Oak 40 in. dia.

40.00 set of sec. post from which

a Beech 13 in. dia. bears S 41 E 19 lbs. dist. 8

a Do 14 " " " N 75 W 29 " "

68.45 all Hickory 24 " "

80.00 set post cor. of Sec. 13 & 24 from which

a Beech 13 in. dia. bears S 34 E 7 lbs. dist. 8

a Do 12 " " " N 58 E 22 " "

Over level land, timber Beech, Hickory, Oak,
Wyr. Spice

North on the E. Boundary of Sec. 13, T. 12 N., R. 4 E

28.72 a Beech 14 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 10 W 12 lbs. dist. 8

a — 13 " " " S 70 E 22 " "

48.42 a Beech 16 " "

80.00 set post cor. of Sec. 12 & 13 from which

a Beech 10 in. dia. bears S 2 E 13 lbs. dist. 8

an Ironwood 6 " " " N 27 W 20 " "

Over good farming land, timber Beech, Ash,
Sugar. &c.

North on the E. Boundary of Sec. 12, T. 12 N., R. 4 E

9.03 a Beech 14 in. dia.

30.50 a Creek 30 lbs. wide runs S W

40.00 set of sec. post from which

a Sugar 14 in. dia. bears S 48 E 34 lbs. dist. 8

a Poplar 30 " " " S 58 W 25 " "

T. 12 N., R. 5 E. 2. Mer. Ind. a

80.00 set part cor. of sec. 1 & 12 from which
 a Beech 10 in. dia. bears S 52 E 9 lbs. dist. 8
 an Elm 4 " " " N 18 W 9 " "
 Through fallen timber, good soil

North on the E. Boundary of Sec. 1, T. 12 N., R. 4 E

40.00 set of sec. post from which
 a Beech 20 in. dia. bears N 137 W 25 lbs. dist. 8
 an Ash 12 " " " S 4 E 14 " "

45.03 an Ash 22 " "

77.94 set part cor. of T. 12 & 13 N., R. 4 & 5 E. from which

a Beech 10 in. dia. bears S 337 W 21 lbs. dist. 8
 an Ash 24 " " " N 19 E 23 " "

Over level land, timber Beech &

Surveyed in 1819 by

John M. Donald
 Dep. Surveyor.

Subdivision.

North between Sec. 35 & 36, T. 12 N., R. 5 E

26.54 a Beech 18 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 47 1/2 W 10 lbs. dist. 8
 a W. Oak 12 " " " S 44 W 24 " "

43.78 a R. Oak 30 " "

80.00 set part cor. of sec. 25, 26, 35 & 36 from which

a Dogwood 6 in. dia. bears N 68 1/2 E 10 lbs. dist. 8
 an Ash 18 " " " N 63 1/2 W 13 " "

Land level inclining to wet S. rate, timber

Beech, Ash, W. Oak; Underbrush close Spice
 Hazel & Green Briers

East on Random between Sec. 25 & 36

T. 12 N., R. 5 E. 2. Mer. Ind^a

40.00 set temp. g. sec. port

80.72 Intersect E. Boundary 195 Ms. S. of port—
Land level inclining to wet 2^d rate, Beech,
Ash, W. Oak; Underwood Spice

West Connected between Sect. 25 & 26

40.36 set g. sec. port at aver. dint. from which
a Hickory 18 in. dis. bears N 84 E 8 Ms. dint. 8
a Beech 24 " " " S 68 W 49 " "
80.72 to sec. cor.

North between Sect. 25 & 26

12.63 a Beech 27 in. dia.

40.00 set g. sec. port from which
an Ash 24 in. dis. bears S 35 W 6 Ms. dint. 8
a Hickory 22 " " " N 28 W 9 " "

50.73 a Sugar 22 " "

80.00 set port cor. of sect. 23, 24, 25 & 26 from which
a Beech 24 in. dis. bears N 11 E 9 Ms. dint. 8
a Do 8 " " " S 66 1/2 W 32 " "

Land level inclining to wet 2^d rate, timber Beech,
Ash, Hickory & Oak; Upr. Spice, much green briars

East on Random between Sect. 24 & 25

40.00 set temp. g. sec. port

81.00 Intersect E. Boundary 202 Ms. S. of port—

Land level, soil thin, close woods, timber as last noted

West Connected between Sect. 24 & 25

40.50 set g. sec. port at aver. dint. from which
an Ash 15 in. dis. bears N 63 E 8 Ms. dint. 8
a Beech 12 " " " S 36 W 22 " "

81.00 to sec. cor.

T. 12 N., R. 5 E. 2^d Mer. Ind^a

North between Sec. 23 & 24

4.10 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Beech 6 in. dia. bears S 41³ E 17¹/₂ lbs. dist. 8

a Do 12 " " " S 39 E 36 " "

55.64 a Do 16 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a Beech 16 in. dia. bears N 41¹/₂ W 7¹/₂ lbs. dist. 8

a Do 12 " " " S 74 E 28 " "

Land level inclining to wet, soil poor, Beech,
Ash, R. Oak; Upr. Spice & Hawth. scarce of
water. Tuesday, 20th June 1820

East on Random between Sec. 13 & 24

40.00 set temp. g. sec. post

81.00 Intersect E. Boundary 32 lbs. S. of post -

Land level 2^d rate, Beech, Ash, Sugar, Upr.
Spice & Hazel

West Corrected between Sec. 13 & 24

40.50 set g. sec. post at aver. dist. from which

a Beech 5 in. dia. bears N 74 E 22 lbs. dist. 8

an Ash 10 " " " S 56 W 6 " "

81.00 to sec. cor.

North between Sec. 13 & 14

16.50 a W. Oak 36 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears N 33¹/₂ W 20 lbs. dist. 8

an Ash 12 " " " S 9 E 23 " "

49.68 a Beech 20 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Beech 6 in. dia. bears N 36 E 9 lbs. dist. 8

T. 12 N., R. 5 E. T. Mer. Ind.^a

a Beech 3 in. diameter S 38 $\frac{1}{2}$ W 8 $\frac{1}{2}$ lbs. dist.
 Land level 2nd rate, timber Beech, Ash, R. Oak
 Wyr. Spice, no water

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. post

80.20 Intersect E. Boundary 250 lbs. S. of post -
 Land level, soil thin, Beech, Ash, Sugar; Wyr.
 Spice, no water

West Correlated between Sec. 12 & 13

40.10 set g. sec. post at aver. dist. from which

a Beech 12 in. diameter S 80 W 6 lbs. dist. 8

a Do 7 " " " N 52 E 13 " "

80.20 to sec. cor.

North between Sec. 11 & 12

2.68 a W. Oak 15 in. dia.

40.00 set g. sec. post from which

a Beech 30 in. diameter N 40 W 23 lbs. dist. 18

a Do 12 " " " S 41 E 12 " "

51.25 a Sugar 15 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

an Ash 24 in. diameter N 78 E 33 lbs. dist. 18

a Beech 15 " " " West 5 " "

Land rolling, 1st 1/2 mile 2nd rate, last 1/2 mile rich,
 Beech, Ash, Sugar, Hickory, Poplar - Spice
 Wednesday. 21st June 1820

East on Random between Sec. 11 & 12

40.00 set temp. g. sec. post

79.00 Intersect E. Boundary 44 lbs. S. of post -

Land level 2nd rate, Beech, Ash, W. Oak - Spice

T. 12 N., R. 5 E. 2. Mer. Ind.^a

West Corrected between Sect. 1 & 2

39.50 set g/sec. port at aver. dist. from which
 a Beech 18 in. diam. bears N 86 E 19 lbs. dist. 8
 a Do 36 " " " S 20 W 16 " "

79.00 to sec. cor.

North between Sect. 1 & 2

29.60 a Beech 14 in. dia.

40.00 set g/sec. port from which
 a Beech 12 in. diam. bears N 20 E 11 lbs. dist. 8
 a Do 12 " " " S 45 W 27 " "

73.70 Intersect N. Boundary 74 lbs. E. of port -
 set port at intersection cr. of sect. 1 & 2 from which
 a Hickory 18 in. diam. bears S 64 1/2 W 17 lbs. dist. 8
 an Ash 10 " " " N 51 E 7 " "
 First 1/2 mile rolling, last 1/2 mile level inclin-
 ing to west 2° rate, Beech, Ash, W. Oak, Hickory
 Upr. Spice, Dogwood &c.

North between Sect. 34 & 35

10.94 a Hickory 24 in. dia.

40.00 set g/sec. port from which
 a W. Oak 5 in. diam. bears N 19 W 11 lbs. dist. 8
 an Ash 3 " " " South 12 " "

45.00 a W. Oak 30 " "

80.00 set port cr. of sect. 26 & 27, 34 & 35 from which
 a Beech 14 in. diam. bears S 20 E 15 lbs. dist. 8
 a Do 12 " " " N 40 W 26 " "
 Land level 2° rate, W & B. Oak, Beech -
 Spice, Dogwood &c.

East in Random between Sect. 26 & 35

40.00 set temp. g/sec. port

T. 12 N., R. 5 E. 2^d Mer. Ind.^a

80.27 Intersect N & S. line 158 W. S. of post -
 First 1/2 mile rolling 2^d rate, last 1/2 mile inclining
 to wet, Beech, Ash, Hickory, W. Oak, Poplar
 Underwood Spice, Hazle & no running water

West Connected between Sec. 26 & 35

40.13 set g. sec. post at aver. dist. from which
 a Beech 18 in. diameter S 55 E 18 W. dist. 8
 a Dogwood 5 " " " N 81 W 31 " "
 80.27 to sec. cor.

North between Sec. 26 & 27

8.50 a Sugar 15 in. dia. & enter Marsh
 17.75 a Stream 6 W. wide course S W.
 28.58 a Beech 9 in. dia.
 40.00 set g. sec. post from which
 a Coffeenut 10 in. diameter S 54 E 20 W. dist. 8
 a Beech 8 " " " West 21 " "
 42.70 a Hackberry 30 " "
 73.14 a Bayou from Sugar Creek
 80.00 set post cor. of Sec. 22, 23, 26 & 27 on the bank of Creek
 from which a Walnut 12 N 25 W 24 W. dist. 8
 a Water Beech 6 S 17 E 25 " "
 Land rolling, last 1/2 mile rich, timber Beech,
 Ash, Poplar, Sugar, Hackberry - Spice, Pawpaw &

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. post
 78.90 Intersect N & S. line 100 W. N. of post -
 Land level 2^d rate, timber as last noted, Under-
 wood very close

West Connected between Sec. 23 & 26

T. 12 N., R. 5 E. 2^d Mer. Ind.^a

39.45 set g^o sec. port at aver. dist. from which
 a Beech 24 in. diameter N 31 W 7 lbs. dist. 8
 a Do 20 " " " S 6 E 34 " "
 78.90 to sec. cor. Thursday, 22^d June 1820

North between Sec. 22 & 23

8.50 Sugar Creek 75 lbs. wide course W
 14.20 an Elm 7 in. dia.
 21.30 Sugar Creek 100 lbs. wide course E
 40.00 set g^o sec. port from which
 a Hackberry 12 in. diameter S 67 W 20 lbs. dist. 8
 a Do 20 " " " N 65 E 20 " "
 46.17 a Do 24 " "
 50.00 a Creek 70 lbs. wide course N W
 80.00 set port cor. of Sec. 14, 15, 22 & 23 from which
 a Hickory 20 in. diameter S 63 W 22 lbs. dist. 8
 a Hackberry 12 " " " S 72 E 68 " "
 Land rich but broken with Bayous from the
 Creek, Hickory, Hackberry, Buckeye - Spice

East in Random between Sec. 14 & 23

13.40 Sugar Creek 120 lbs. wide course S.
 40.00 set temp. g^o sec. port
 78.62 Intersect N & S line 10 lbs. N. of port -
 Land level rich, timber Beech, Ash, Sugar,
 Hickory

West Connected between Sec. 14 & 23

39.31 set g^o sec. port at aver. dist. from which
 a Beech 30 in. diameter S 75 E 11 lbs. dist. 8
 a Walnut 36 " " " N 18 E 13 " "
 78.62 to sec. cor.

T. 12 N., R. 5 E. 2. Mer. Ind. a

North between Sect. 14 & 15

23.40 trucked W. bank of Creek

33.64 an Elm 12 in. dia.

40.00 set g. sec. post from which

an Ash 15 in. dia. bears S 2 W 9 lbs. dist. 8

an Elm 22 " " " N 4 E 7 " "

46.58 a Hackberry 20 " "

80.00 set post cor. of Sect. 10, 11, 14 & 15 from which

an Ash 12 in. dia. bears N 43 E 23 lbs. dist. 18

a Hackberry 12 " " " S 77 W 42 " "

This line is level & rich Creek bottom, at the g. sec. post a Swamp, Beech, Hackberry, Sugar; Hudsens? Spice, Pawpaw &c.

East on Random between Sect. 11 & 14

6.08 Sugar Creek 142 lbs. wide course S

15.50 a Stream at present dry, course S W

40.00 set temp. g. sec. post

77.85 Intersect N & S. line 20 lbs. S. of post -

Land level 2 rods, Ash, Poplar, R. Oak, Spice

West Corrected between Sect. 11 & 14

38.92 set g. sec. post at aver. dist. from which

a Hickory 5 in. dia. bears N 8 W 26 lbs. dist. 8

an Ash 6 " " " S 44 E 9 " "

77.85 to sec. cor.

North between Sect. 10 & 11

14.00 Sugar Creek 130 lbs. wide course S E

26.15 an Elm 14 in. dia.

40.00 set g. sec. post from which

a Beech 15 in. dia. bears S 33 W 11 lbs. dist. 18

a Ash 15 " " " N 85 E 33 " "

T. 12 N., R. 5 E., 2^d Mer. Ind.^a

54.81 a Hackberry 20 in. dia.

80.00 set post cor. of sec. 2, 3, 10 & 11 from which
a Beech 36 in. dia. bears S 40° W 26 lbs. dist. 8
a Do 10 " " " S 85° E 13 " "

Land level & rich 1st rate, Beech, Ash, Hackberry,
Elm - Spice

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. post

80.70 Intersect N. G. line 50 lbs. N. of post -

First 1/2 mile level & rich, last 1/2 mile rolling
2^d rate, Beech, Hickory, Ash, Poplar - Spice
No water

West Corrected between Sec. 2 & 11

40.35 set g. sec. post at aver. dist. from which

a W. Oak 48 in. dia. bears S 26° E 24 lbs. dist. 8

a Beech 12 " " " N 80° W 2 " "

80.70 to sec. cor.

North between Sec. 2 & 3

14.70 a Beech 13 in. dia.

25.00 W. of the line is the appearance of an extensive
Swamp.

40.00 set g. sec. post from which

a Beech 6 in. dia. bears N 42° W 13 lbs. dist. 8

and Iron P. 5 " " " S 27° E 19 " "

55.90 a Beech 6 " "

71.10 Intersect N. Boundary 122 lbs. E. of post -

set post at intersection cor. of sec. 2 & 3 from which

a Beech 10 in. dia. bears East 22 lbs. dist. 8

a Do 10 " " " S 80° W 18 " "

Land 1st 1/2 mile rolling, soil thin, last 1/2 mile

T. 12 N., R. 5 E. 2^d Mer. Ind.^a

level and Swamp in full, Beech, Ash,
Poplar, Swamp Ash, Hackberry - Spice
Friday, 23^d June 1820

North between Sec. 33 & 34

13.00 a Beech 15 in. dia.
22.50 a Swamp 220 lbs. wide
30.04 Sugar Creek 100 lbs. wide course S W
40.00 Set g. sec. post from which
a Honey Locust 8 in. dia. bears N 88 E 19 lbs. dist. 8
a Hackberry 14 " " " N 77 W 26 " "
45.30 a Sugar 12 " "
57.15 a Beech 24 " "
80.00 Set post cor. of sec. 27, 28, 33 & 34 from which
a Beech 11 in. dia. bears S 85 E 10 lbs. dist. 8
a Do 12 " " " S 67 W 20 " "
Land rolling, soil thin, except the creek bottom,
Beech, Sugar, Ash, W. Oak; Underwood very close
Spice, Prickly Ash &c.

East on Random between Sec. 27 & 34

4.50 a Stream 15 lbs. wide course S
30.00 Sugar Creek 215 lbs. wide course S W
40.00 Set temp. g. sec. post
77.50 Intersect N & S line 179 lbs. N. of post -
First 1/2 mile creek bottom, rich - last 1/2 mile
part wet, timbered as before noted

West Connected between Sec. 27 & 34

38.75 Set g. sec. post at aver. dist. from which
a Beech 20 in. dia. bears S 88 E 40 lbs. dist. 8
an Elm 12 " " " N 80 1/2 W 19 " "
77.50 to sec. cor.

T. 12 N., R. 5 E. 2^d. Mer. Ind.^a

North between Sect. 27 & 28

11.78 an Elm 30 in. dia.

40.00 set of sec. port from which

a Beech 18 in. dia. bears N 49 W 19 lbs. dist. 8

a Do 5 " " " S 16 E 10 " "

42.23 a Do 14 " "

80.00 set port cor. of Sect. 21, 22, 27 & 28 from which

a Beech 22 in. dia. bears S 18 W 16 lbs. dist. 8

a Do 14 " " " " N 48 E 10 " "

Land level rich creek bottom, timber Beech,
Ash, Walnut, Poplar, W. Oak, Upr. Spice,
Cottonwood &c.

East on Random between Sect. 22 & 27

40.00 set temp. of sec. port

70.80 Sugar Creek 125 lbs. wide course S W

78.75 Intersect N & E line at port -

Land T^h 1/2 mile rich - 2 1/2 mile portSwamp or wet land, timber Beech, Ash,
Hackberry - Upr. Spice &c.

West Concated between Sect. 22 & 27

39.37 set of sec. port at aver. dist. from which

a Lycamore 33 in. dia. bears N 36 E 5 lbs. dist. 8

a Do 84 " " " " S 59 W 5 " "

78.75 to sec. cor.

North between Sect. 21 & 22

1.63 a Beech 12 in. dia.

10.91 a Walnut 10 " "

40.00 set of sec. port from which

a Beech 12 in. dia. bears S 3 E 46 lbs. dist. 8

an Ash 18 " " " " N 26 W 28 " "

T. 12 N., R. 5 E. 2. Mer. Ind. a

56.63 a Hackberry 15 in. dia.

76.00 an Ash 22 " "

80.00 set post cor. of sect. 15, 16, 21 & 22 from which

a Beech 12 in. dia. bears S 51 E 23 lbs. dist. 8

a Do 18 " " " S 85 W 12 " "

Land level rich; Beech, Ash, Poplar, Hackberry
Upr. Spruce

East on Random between Sect. 15 & 22

40.00 set temp. g. sec. post

78.73 Intersect N & S line 312 lbs. N. of post -

First 1/2 mile rolling prairie - last 1/2 mile inclining
to wet with small swamps; prairie, timber Beech,
Ash, Poplar, Hickory, Hackberry; Underwood
Spruce, Poplar &c.

Saturday evening 24th June 1820

West Connected between Sect. 15 & 22

39.36 set g. sec. post at aver. dist. from which

a R. Oak 30 in. dia. bears N 57 W 4 lbs. dist. 8

a Beech 10 " " " S 30 E 28 " "

78.73 to sec. cor. Sunday, June 25. 1820

North between Sect. 15 & 16

11.38 a Poplar 10 in. dia.

40.00 set g. sec. post from which

a Beech 8 in. dia. bears S 43 E 8 lbs. dist. 8

a Do 14 " " " N 26 W 36 " "

42.41 a Do 11 " "

47.32 a Do 20 " "

80.00 set post cor. of sect. 9, 10, 15 & 16 from which

a Beech 12 in. dia. bears N 71 E 34 lbs. dist. 8

a Do 15 " " " S 69 W 15 " "

T. 12 N., R. 5 E. 2. Mer. Ind.^a

Land rolling good 2nd rate, Beech, Ash, Poplar
W. R. Oak, Upr. Spruce

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. post

79.93 Intersect N. S. line 12 hrs. N. of post -

Land 1st 1/2 mile rolling 2nd rate, last 1/2 mile level
rich creek bottoms, Beech, Ash, Sycamore &c.

West Corrected between Sec. 10 & 15

39.96 set g. sec. post at aver. dist. from which

a Beech 12 in. diameter N 12° W 11 hrs. dist. 8

a Hickory 12 " " " South 27 " "

79.93 to sec. cor.

North between Sec. 9 & 10

8.05 an Elm 20 in. dia.

40.00 set g. sec. post from which

a Beech 8 in. diameter N 67° E 7 hrs. dist. 8

a Do 4 " " " S 84 1/2° W 23 " "

42.90 a Do 24 " "

63.68 a Do 20 " "

80.00 set post cor. of Sec. 3, 4, 9 & 10 from which

a Beech 22 in. diameter S 45° E 19 hrs. dist. 8

an Ash 12 " " " N 88° W 22 " "

Land rolling 2nd rate, timber as before noted

East on Random between Sec. 3 & 10

10.20 Sugar Creek 105 hrs. wide course S⁹W

16.20 a Stream, perhaps part of Sugar Creek, 30
hrs. wide course N⁹W

20.65 the same, course S⁹W

40.00 set temp. g. sec. post

T. 12 N., R. 5 E. 2^d. Mer. Ind.^a

78.00 Intersect N. & S. line 2 1/2 lbs. N. of port -
 Land level inclining to wet, part swampy,
 Beech, Ash, Poplar, Elm, Hickory - Spice

West connected between Sec. 3 & 10

39.00 Set of sec. port at aver. dist. from which
 a Beech 8 in. dis. bears North 19 lbs. dist. 8
 a Do 20 " " " S 8 E 32 " "
 78.00 to sec. cor.

North between Sec. 3 & 4

9.00 a Stream 8 lbs. wide course E.
 15.50 a Buckeye 12 in. dis.
 40.00 Set of sec. port from which
 a Beech 5 in. dis. bears N 84 E 11 lbs. dist. 8
 a Do 6 " " " S 80 W 28 " "
 67.50 Intersect N. Boundary 62 1/4 lbs. E. of port -
 Set port at intersection cor. of Sec. 3 & 4 from which
 an Elm 5 in. dis. bears S 38 W 10 lbs. dist. 8
 a Do 4 " " " S 53 E 12 " "
 Land rolling 2^d rate, Beech, Ash, Poplar, White
 Upr. Spice. Monday 26th June 1820

North between Sec. 32 & 33

24.90 a Sugar 18 in. dis.
 40.00 Set of sec. port from which
 a Beech 10 in. dis. bears S 48 E 7 lbs. dist. 8
 a Do 18 " " " N 64 W 26 " "
 47.22 an Elm 20 " "
 80.00 Set port cor. of Sec. 28, 29, 32 & 33 from which
 a Beech 6 in. dis. bears N 68 E 12 lbs. dist. 8
 a Do 5 " " " N 42 W 16 " "
 Land 1 1/2 mile rolling - last 1/2 mile level

T. 12. N., R. 5 E. 2. Mer. Ind.^a

2. rate, Beech, Ash, Hickory, W. Oak; Under-
wood Spruce, Prickly Ash

East on Random between Sec. 28 & 33

40.00 set temp. g. sec. post

80.69 Intersect N & S. line 520 M. S. of post -

Remeasured the line between Sec. 32 & 33. No
error; the Base must be crooked.

Land level with wet spots, Beech, Ash,
Poplar, W. Oak, Sugar - Spruce, Prickly Ash

West corrected between Sec. 28 & 33

40.34 set g. sec. post at aver. dist. from which

a Beech 10 in. dia. bears N 32 E 24 M. dist. 8

a Do 15 " " " S 75 W 36 " "

80.69 to sec. cor.

North between Sec. 28 & 29

25.50 a Hickory 12 in. dia.

40.00 set g. sec. post from which

a Ash 5 in. dia. bears S 85 E 30 M. dist. 8

a Water Beech 4 " " " N 57 W 11 " "

42.72 a B. Oak 15 " "

80.00 set post cor. of Sec. 20, 21, 28 & 29 from which

a Beech 14 in. dia. bears S 81 E 25 M. dist. 8

a Do 18 " " " S 42 W 17 " "

Land level - 1st knick inclining to wet 2. rate,
Beech, Ash, Oak - Upr. Spruce, Prickly Ash

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. post

78.50 Intersect N & S. line 774 M. S. of post -

Land level wet 3. rate, timber Beech, Ash,

T. 12 N., R. 5 E. 2. Mer. Ind. a

Hickory, W. Oak; Upr. Spice, Dogwood, Prickly
Ash &c.

West Connected between Sect. 21 & 28

39.25 set of sec. port at aver. dist. from which
an Ash 4 in. diameter N 25 W 3 1/2 m. dist. &
a Do 3 " " " S 70 E 6 " "

78.50 to sec. cor.

North between Sect. 20 & 21

6.50 an Ash 16 in. dia.

40.00 set of sec. port from which
a Beech 24 in. diameter S 59 E 7 1/2 m. dist. &
a Do 12 " " " N 15 E 20 " "

45.50 a Do 7 " "

60.00 immediately E. of the line is a Swamp of per-
haps 10 Acres.

80.00 set port cor. of Sect. 16, 17, 20 & 21 from which
a W. Oak 48 in. diameter S 46 E 14 1/2 m. dist. &
an Ash 15 " " " N 16 W 6 " "

Land 1 1/2 mile rolling 2. rate, last 1/2 mile
wet in part 3. rate, timber as before noted

East on Random between Sect. 16 & 21

20.00 enters a kind of Prairie, some small timber,
large flagg grass & wet bottoms

40.00 set temp. g. sec. port, & enter timbered land

79.38 Intersect N & S. line 450 m. S. of port -
Last 1/2 mile level 2. rate, Beech, Ash, W. Oak,
Spice, Prickly Ash

West Connected between Sect. 16 & 21

39.69 set of sec. port at aver. dist. from which

T. 12 N., R. 5 E. 2. Mer. Ind.^aa Beech 12 in. dia. bears S 12 E 17th Ms. dist. 8

a Do 15 " " " N 26 W 17 " "

79.38 to sec. cor.

North between Sec. 16 & 17

19.75 a Hickory 16 in. dia.

40.00 set g. sec. post from which

an Elm 24 in. dia. bears S 61 E 6th Ms. dist. 8

an Ash 6 " " " S 57 W 12 " "

43.66 a Beech 12 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which

a Beech 14 in. dia. bears N 84 E 21st Ms. dist. 8

a Do 6 " " " S 22 W 9 " "

Land level inclining to wet 3rd rate, timber
the same as on the last line

East on Random between Sec. 9 & 16

40.00 set temp. g. sec. post

78.50 Intersect N & S. line 320 Ms. S. of post -

Land rolling 2nd rate, Beech, Ash, Poplar,Wyr. Spice Tuesday 27th June 1820

West Connected between Sec. 9 & 16

39.25 set g. sec. post at aver. dist. from which

a Beech 36 in. dia. bears S 43 W 15th Ms. dist. 8

a Do 12 " " " N 74 E 18 " "

78.50 to sec. cor.

North between Sec. 8 & 9

3.00 a W. Oak 60 in. dia.

40.00 set g. sec. post from which

a Hickory 9 in. dia. bears S 37 W 13th Ms. dist. 8

a Do 12 " " " N 33 E 17 " "

T. 12 N., R. 5 E. 2^d Mer. Ind^a.

47.50 an Ash 15 in. dia.

80.00 set post cor. of Sect. 4, 5, 8 & 9 from which
a Hickory 18 in. dia. bears S 81° W 7 lbs. dist. 8
a Beech 10 " " " N 38° E 7 " "

Land level inclining to wet 3^d rate, Beech, Ash,
W. Oak, Poplar; Underwood Spice, Ash, Prickly Ash,
batterwood &c. No water

East on Random between Sect. 4 & 9

24.00 enter Willow Swamp 76 ft. wide

40.00 set temp. g. sec. post

79.90 Intersect N. S. line 250 lbs. S. of post -
Land 1st 1/2 mile 3^d rate, last 1/2 mile 2^d rate, low &
level, timber as last noted

West Connected between Sect. 4 & 9

39.95 set g. sec. post at aver. dist. from which
a R. Oak 22 in. dia. bears S 63° W 8 lbs. dist. 8
a Beech 6 " " " N 87° E 6 " "

79.90 to sec. cor.

North between Sect. 4 & 5

3.00 a Hickory 18 in. dia.

40.00 set g. sec. post from which
a Water Beech 4 in. dia. bears S 13° E 8 lbs. dist. 8
an Ash 6 " " " North 25 " "

66.17 a W. Oak 48 " "

69.25 Intersect N. Boundary 253 lbs. E. of post -
set post at intersection cor. of Sect. 4 & 5 from which
a Beech 10 in. dia. bears S 50° W 10 lbs. dist. 8
a Do 15 " " " N 61° E 35 " "
Land level, soil thin, timber Beech, Ash, Poplar,
W. Oak, Hickory; Underwood Spice, Prickly Ash,

T. 12 N., R. 5 E. 2^d. Mer. Ind^a.

Dogwood & No water

North between Sec. 31 & 32

5.35 a Spring run course SW

14.54 a Beech 28 in. dia.

24.25 a small stream, perhaps Spring run, course SW

40.00 set g. sec. post from which

a Beech 24 in. dia. bears S 20 W 27 lbs. dist. 8

a Hickory 6 " " " S 34 W 23 " "

51.75 a Beech 20 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a Beech 15 in. dia. bears N 28 W 17 lbs. dist. 8

a Do 6 " " " S 18 W 10 " "

Land rolling, soil thin & rate, Beech, Ash,
Hickory, Poplar, W. Oak, Underwood Beech
Spice, Dogwood &c.

West between Sec. 30 & 31

8.75 an Ash 20 in. dia.

40.00 set g. sec. post from which

an Ash 30 in. dia. bears S 58 W 25 lbs. dist. 8

an Elm 7 " " " N 42 E 4 " "

58.94 a Beech 12 " "

74.62 Intersect W. Boundary 156 lbs. N. of post -

set post cor. of sec. 30 & 31 from which

a Beech 14 in. dia. bears S 53 E 6 lbs. dist. 8

a Sugar 6 " " " N 64 W 23 " "

Land rolling & rate, Beech, Ash, W. Oak -
Wyr. Spice, Dogwood

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post

78.85 Intersect N. S. line 200 lbs. S. of post -

T. 12 N., R. 5 E. T. Mer. Ind.^a

First $\frac{1}{2}$ mile rolling $\frac{1}{2}$ rate, last $\frac{1}{2}$ mile inclining
to wet, Beech, Ash, Hickory; Underwood Spice,
Dogwood, P. Ash &c. This Township is scarce of
water except the main creek the small branches
head in Marshes. Wednesday 28th June 1820

West Corcited between Sec. 29 & 32

39.42 Set of sec. port at aver. dist. from which
a Beech 18 in. dis. bears N 74° W 13 lbs. dist. 8
a Do 4 " " " S 1 E 12 " "
78.85 to sec. cor.

North between Sec. 29 & 30

5.09 an Ash 48 in. dis.
40.00 Set of sec. port from which
a Beech 30 in. dis. bears N 49° E 16 lbs. dist. 8
a Do 20 " " " S 89° W 17 " "
58.23 a Do 6 " "
74.41 an Ash 30 " "
80.00 Set port cor. of sec. 19, 20, 29 & 30 from which
a Hickory 20 in. dis. bears N 33° W 7 lbs. dist. 8
a Sap. Oak 28 " " " N 40° E 8 " "
Level level, last $\frac{1}{2}$ mile part inclining to wet
 $\frac{1}{2}$ rate, Beech, Ash, Hickory; Underbrush Spice
Beech, Dogwood

West between Sec. 19 & 30

29.43 a Beech 20 in. dis.
40.00 Set of sec. port from which
a Beech 36 in. dis. bears N 27° E 4 lbs. dist. 8
an Ash 20 " " " S 19° W 22 " "
61.41 a Beech 20 " "
75.20 Intersect W. Boundary 342 lbs. N. of port -

T. 12 N., R. 5 E. 2. Mer. Ind. a

set post at intersection cr. of Sect. 19 & 30 from which
 a Beech 12 in. dia. bears S 4 E 5 1/2 m. dist. 8,
 a Spr 8 " " " N 7 E 2 1/2 " "
 Land level, soil thin, timber as before noted.
 No water.

East on Random between Sect. 20 & 29

40.00 set temp. of sec. post

80.40 Intersect N & S. line 123 1/2 m. E. of post -

Land level 2. rate, Beech, Ash, Sugar, Poplar,
 W. Oak, Spice

West Connected between Sect. 20 & 29

40.20 set of sec. post at aver. dist. from which

a Beech 18 in. dia. bears N 77 E 2 1/2 m. dist. 8,

a Spr 16 " " " N 75 W 14 " "

80.40 to Sec. cor.

North between Sect. 19 & 20

24.75 a Beech 20 in. dia. b

40.00 set of sec. post from which

a Beech 5 in. dia. bears S 20 W 19 m. dist. 8,

an Ash 6 " " " N 8 E 4

46.75 a W. Oak 72 " "

80.00 a Water Beech 3 in. dia. marked for cr. of Sect.
 17, 18, 19 & 20, from which

a Water Beech 4 in. dia. bears S 74 W 9 m. dist. 8,

an Ash 9 " " " S 29 E 10 " "

Land level 2. rate, Beech, Ash, Poplar, W. Oak
 Underwood Spice very close. No water

West between Sect. 18 & 19

7.75 an Elm 40 in. dia.

T. 12 N., R. 5 E. S. Mer. Ind. a

40.00 set g/sec. port from which

a Beech 30 in. diameter N 20 W 8 1/2 m. dist. 8

a Do 22 " " " S 9 E 19 " "

71.38 an Ash 20 " "

77.08 Intersect W. Boundary 543 m. N. of port -

set port at intersection cor. of sec. 18 & 19 from which

an Ash 4 in. diameter S 45 W 4 1/2 m. dist. 8

a Do 3 " " " S 69 E 11 " "

Land level, last 1/2 mile inclining to wet S. rate,
Beech, Ash, Poplar, Swamp Oak - Spice

East. on Random between Sec. 17 & 20

40.00 set temp. g/sec. port

78.20 Intersect N & S. line 120 m. S. of port -

Land level, Soil thin, part wet S. rate, Beech,
Ash, W. Oak - Upr. Spice

West Connected between Sec. 17 & 20

39.10 set g/sec. port at aver. dist. from which

a Beech 15 in. diameter East 17 m. dist. 8

a W. Oak 4 1/2 " " " S 58 W 13 " "

78.20 to sec. cor.

North between Sec. 17 & 18

1.96 a Beech 22 in. dia.

31.48 a Do 15 " "

40.00 set g/sec. port from which

a Beech 5 in. diameter S 75 W 18 m. dist. 8

a Dogwood 4 " " " S 47 E 3 " "

41.50 a Beech 30 " "

80.00 set port cor. of sec. 7, 8, 17 & 18 from which

a Beech 12 in. diameter S 18 E 18 m. dist. 8

a Do 30 " " " N 66 W 19 " "

T. 12 N., R. 5 E., 2^d Mer. Ind.^a

First 1/2 mile ~~level~~, last 1/2 mile rolling 2^d rate
timber as before described. No water

East on Random between Sec. 8 & 17

40.00 set temp. of sec. post

78.46 Intersect N & S. line 185 lbs. S. of post -

This line runs in the edge of a Willow Marsh
with large grass growing timber principally Ash
Upr. Spice. Thursday 29th June

West Connected between Sec. 8 & 17

39.23 set of sec. post at corner, dist. from which
a Beech 14 in. dia. bears S 43° W 19 lbs. dist. 18
a Spr 10 " " " N 12° W 12 " "

78.46 to Sec. cor.

West between Sec. 7 & 18

1.04 a Beech 18 in. dia.

11.26 an Ash 18 " "

40.00 set of sec. post from which

a Beech 6 in. dia. bears N 35° W 28 lbs. dist. 18
a R. Oak 40 " " " S 13° E 5 " "

58.25 a Beech 10 " "

76.16 Intersect W. Boundary 624 lbs. N. of post -

set post at intersection cor. of sec. 7 & 18 from which
a W. Oak 50 in. dia. bears S 53° E 10 lbs. dist. 18

a Beech 12 " " " N 11° W 18 " "

Land level, 1st 1/2 mile 2^d rate - last 1/2 mile inclin-
ing to wet 3^d rate, timber Beech, Ash, Poplar,
W & R. Oak; Underwood Spice, Dogwood, R. Ash &c.

North between Sec. 7 & 8

18.39 a Beech 30 in. dia.

T. 12 N., R. 5 E. Mer. Ind.^a

40.00 set g. sec. post from which
 a Beech 30 in. diam. bears S 50° W 11 1/2 m. dist. .8
 a Do 5 " " " N 71° E 21 " "
 53.83 a Do 15 " "
 80.00 set post cor. of sec. 5, 6, 7 & 8 from which
 a Hickory 8 in. diam. bears S 47° W 17 1/2 m. dist. .8
 an Elm 20 " " " N 50° E 13 " "
 Land rather rolling 2. rate, Beech, Ash, Poplar
 No water

West between Sec. 6 & 7

4.63 a Beech 20 in. diam.
 40.00 set g. sec. post from which
 a Beech 16 in. diam. bears S 42° W 19 m. dist. .8
 a Do 12 " " " N 11° E 44 " "
 42.00 a B. Oak 6 " "
 76.09 Intersect W. Boundary 616 m. N. of post -
 set post cor. of sec. 6 & 7 from which
 a Water Beech 5 in. diam. bears North 26 m. dist. .8
 a W. Oak 30 " " " S 17° W 17 " "
 Land level 2. rate, the last 1/2 mile is in fall timber

East on Random between Sec. 5 & 8

40.00 set temp. g. sec. post
 79.33 Intersect N. G. line 130 m. S. of post -
 Land level 2. rate, Beech, Ash, Poplar, W. Oak,
 Spruce

West Connected between Sec. 5 & 8

39.66 set g. sec. post at over. dist. from which
 a Beech 5 in. diam. bears N 19° W 12 m. dist. .8
 a Do 12 " " " S 1° W 11 " "
 79.33 to sec. cor.

Compd

T. 12 N., R. 5 E. 2. Mer. Ind.^a

North between Sec. 5 & 6

8.85 a Beech 30 in. dia.

40.00 set of sec. port from which

a Beech 11 in. dia. bears N 75° W 11 lbs. dist. 8

a Do 16 " " " S 80° E 31 " "

52.90 a Do 12 " "

59.50 a W. Oak 72 " "

74.15 Intersect N. Boundary 300 lbs. E. of port -

set port cor. of sec. 5 & 6 from which

a Beech 24 in. dia. bears N 42° E 10 lbs. dist. 8

a Do 12 " " " N 87° W 15 " "

Land level I. rate, Beech, Ash, W. Oak;

Underbrush Spice & further this deponent
saith not, except that this is rather an inferior
township of land.

The Surveyor General will please to observe
that near where the Town line crosses Sugar
Creek, being base to Sec. 33, it forms with
the subdividing lines an obtuse angle, hence
the reason of my randoms falling so much South
of the port. A number of the corners on the
exterior work are erroneously marked and
some obliterated.

Subdivided to Var. 5° 55' E

30th June 1820

John Hendricks
Dep. Surveyor.

I certify that the foregoing transcript of field notes of the survey of Township N. 12 North, in Range N. 5 East of the 2^d. Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office }
Cincinnati, March 7. 1842 } E. D. Reaume
Sur. Genl.